

EDX SARS-CoV-2 Standard Summary	
Catalog Number	COV019
Analytes	SARS-CoV-2 RNA Transcripts: Envelope (E) Gene (200,000 cp/mL) Nucleocapsid (N) Gene (200,000 cp/mL) ORF1ab Gene (200,000 cp/mL) RdRP Gene (200,000 cp/mL) Spike Protein (S) Gene (200,000 cp/mL)
Concentration of Human gDNA	75,000 cp/mL
Matrix	Synthetic Matrix, including Human Genomic DNA (gDNA)
Preservative	Sodium Azide
Storage	-20°C or Below
Fill Volume	0.3 mL
Number of Vials Per Kit	5 Vials
Number of Uses	Single Use
Shelf Life	18 Months from Date of Manufacture
Precautions	Biological Risks
Regulatory Status	For Research Use Only. Not for use in diagnostic procedures.

INTENDED USE:

The EDX SARS-CoV-2 Standard is intended for use as a reference material for research testing of the novel coronavirus allowing laboratories to validate assays.

Additionally, the EDX SARS CoV-2 Standard can be validated for use by the laboratory as an external run control.

PRODUCT DESCRIPTION:

The EDX SARS-CoV-2 Standard is manufactured with synthetic RNA transcripts containing five gene targets (E, N, ORF1ab, RdRP and S Genes of SARS-CoV-2). The product contains genomic DNA (75,000 cp/mL), allowing laboratories to validate the entire process of a molecular assay including extraction, amplification, and detection.

The EDX SARS-CoV-2 Standard contains E, N, ORF1ab, RdRP and S genes that are each quantitated at 200,000 cp/mL using Bio-Rad Digital Droplet PCR (ddPCR).

PROCEDURE:

The EDX SARS-CoV-2 Standard requires an extraction step. The standard must be treated in a similar manner to other tested samples. This allows the operator to assess their extraction technique.

The EDX SARS-CoV-2 Standard is not a substitute for the manufacturer's kit controls provided with the assay. EDX SARS-CoV-2 Standard is to be tested according to the assay manufacturer's or testing laboratory's instructions and recommendations.

STORAGE AND HANDLING:

The EDX SARS-CoV-2 Standard should be stored at -20°C or below.

Thaw EDX SARS-CoV-2 Standard at room temperature and vortex briefly prior to use.

Once thawed, EDX SARS-CoV-2 Standard is stable for 24 hours when stored at 2-8°C. Any remaining materials must be disposed of after one use. Do not reuse.

Do not use EDX SARS-CoV-2 Standard beyond the expiration date.

LIMITATIONS:

The EDX SARS-CoV-2 Standard should not be diluted without appropriate validation. Laboratories can validate use of the EDX SARS-CoV-2 Negative as a suitable diluent for this standard.

For Research Use Only. Not for use in diagnostic procedures.

WARNINGS AND PRECAUTIONS:

The EDX SARS-CoV-2 Standard contains synthetic RNA transcripts but should be considered biohazardous. Universal precautions and proper disposal should be practiced¹. Do not pipette by mouth. Do not smoke, eat, or drink in areas where specimens are handled.

Discard product if packaging is damaged or leaking. Disinfect liquids, materials or spills with a 0.5% sodium hypochlorite solution. Dispose of all materials and liquids used in the procedure as if they contained pathogenic agents.

REFERENCES:

¹ Siegel JD, Rhinehart E, Jackson M, Chiarello L, and the Healthcare Infection Control Practices Advisory Committee, 2007 Guideline for Isolation Precautions: Preventing Transmission

BIO-RAD and DROPLET DIGITAL PCR are trademarks of Bio-Rad Laboratories, Inc. in certain jurisdictions.

SYMBOL REFERENCES:



Catalog Number



Lot Number



For Research Use Only. Not for use in diagnostic procedures.



Biological Risks



Do not reuse



Expiration Date



Upper Limit of Temperature



Manufacturer



Caution



Consult Instructions for Use



Exact Diagnostics LLC
3400 Camp Bowie Blvd CBH-214
Fort Worth Texas 76107
United States