

1. PRODUCT and COMPANY IDENTIFICATION

Product code: CMVL101
 Product Name: CMV Low Run Control
 Sector of Use: SU20 Health Services
 Intended Use: *In vitro* laboratory reagent or component
 Company: Exact Diagnostics LLC
 3400 Camp Bowie Blvd CBH-214
 Fort Worth, TX 76107
 817.989.9262
 1-800-424-9300
 24-Hour Emergency Number: 001-703-527-3887
 Use only in event of a chemical emergency involving a spill, leak, fire, explosion, or accident.

2. HAZARDS IDENTIFICATION

This product is not classified, according to the Globally Harmonized System (GHS).

Potential Health Effects or Risks from Exposure:

Eyes May cause irritation
 Skin May cause irritation
 Ingestion May be harmful if swallowed
 Inhalation May be harmful if inhaled

3. COMPOSITION INFORMATION on INGREDIENTS

Chemical Name	Concentration	CAS No.
ProClin®300	0.05%	55965-84-9
Normal Human Plasma	99-100%	N/A

4. FIRST AID MEASURES

Eye Contact Wash with large volume of water, until relief. Seek immediate medical attention.
 Skin Contact Flush with water, clean with water and soap.
 Ingestion Flush with water, do not induce vomiting. Seek immediate medical attention.
 Inhalation Move person to fresh air. If not breathing, give artificial respiration. Seek immediate medical attention.

5. FIREFIGHTING MEASURES

Extinguishing Media Use water spray, alcohol-resistant foam
 Special Firefighting Procedures Self-contained breathing apparatus and suit

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Use personal protective equipment. Avoid contact with skin, eyes and clothing.
 Spill Surround the spill with 1.050% Hypochlorite. Fill in spill with copious amounts of 1.050% hypochlorite. Allow bleach to sit for 10 minutes and then absorb spill with absorbent towels. Soak the area with 70% Isopropyl Alcohol and absorb with towels. Discard all contaminated towels in biohazard waste.

7. HANDLING and STORAGE

Handle as normal human plasma, wear personal protective equipment.
 Store in a well-ventilated place, ensure proper labeling and containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Hand Protection Disposable impervious gloves
 Eye Protection Safety Glasses
 Skin and Body Protection Lab coat
 Control of Environment Use good laboratory practices

9. PHYSICAL and CHEMICAL PROPERTIES

Form Liquid
 Appearance N/A
 Odor N/A
 Boiling Point and Range No data available
 Flash Point No data available
 Oxidizing Properties No data available

10. STABILITY AND REACTIVITY

Reactivity N/A

Stability	Stable under normal conditions
Conditions to avoid	None
Incompatible Materials	Strong oxidizing agents, metals
Hazardous Decomposition	N/A

EMS Number	Not Applicable
Stowage Category	Not Applicable
Stowage Code	Not Applicable
Excepted Quantities (EQ)	Not Applicable
UN Model Regulation	Not Applicable

11. TOXOLOGICAL INFORMATION

Chronic effects of over-exposure	Data not available
Carcinogenic effects	Stable under normal conditions
Conditions to avoid	None
Acute toxicity	Inhalation may cause respiratory irritation
Eyes	May cause irritation
Skin	May cause irritation

15. REGULATORY INFORMATION

SARA 313	N/A
California Prop 65	N/A
WHIMS	Biohazardous infectious material
US Regulations	N/A

12. ECOLOGICAL INFORMATION

Ecological effects have not been determined, information not available.

13. DISPOSAL CONSIDERATIONS

Biohazard waste should be utilized for disposal

16. OTHER INFORMATION

N/A

Disclaimer

ProClin® is a registered trademark of Rohm and Haas Company

14. TRANSPORT INFORMATION

UN Number	Not Applicable
Proper Shipping Name – IATA	Not Applicable
Transport Hazard Class	Not Applicable
Transport Hazard Label	Not Applicable
Packing Group	Not Applicable
Environmental Hazards	Not Applicable
Special Precautions for User	Not Applicable
Danger Code (Kemler)	Not Applicable



Emergo Europe
Prinsessegracht 20
2514 AP The Hague
The Netherlands



Exact Diagnostics LLC
3400 Camp Bowie Blvd CBH-214
Fort Worth, Texas 76107
United States