

PRODUCT INFORMATION

Product SKU	COVE
Product Name	SARS-CoV-2 S Gene Epsilon Variant Control
Lot Number	64508164
Date of Manufacture	2022-09-06
Date of Expiration	2024-02-29
Base Matrix	Synthetic Matrix
Preservative	Sodium Azide
Fill Volume	0.25 mL
Storage Temperature	-20°C or Below
Regulatory Status	For Research Use Only. Not for use in diagnostic procedures.
Testing Platform	In-House S, RNase P Assay

This standard material should be used in accordance with local, state, and/or federal regulations or accreditation requirements.

As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols.

TESTING DATA

Lot Number	Product Description	Analyte	Target Concentration	Testing Results	Quantity
64508164	SARS-CoV-2 S Gene Epsilon Variant Control	Spike Protein (S) gene RNA Transcript	200,000 cp/mL	Pass	1 Vial
		Human gDNA	75,000 cp/mL RNase P DNA	Pass	

APPROVAL

Quality Assurance	Date
<i>Melody Harrington</i>	14 Sep 22